



URBAN SOFTWARE

Dedicated to serve our customers

Quick Installation Guide

CereusReporting - Corporate Edition

Version 2.90



1 Introduction

1.1 About CereusReporting

CereusReporting is a plugin designed to enhance the reporting functionality of the Cacti Network Monitoring solution. CereusReporting adds PDF and HTML report generation as well as email and report scheduling functionality of Cacti.

CereusReporting comes in 2 different editions: The Express Edition with limited functionality but can be enhanced with unlocking additional modules and the Corporate Edition with support for DSSStats, Scheduling, Availability reports and other features.

1.2 License

By downloading or using a Urban-Software.de software product you are certifying that you are not a national of Cuba, Iran, Iraq, Libya, North Korea, Sudan, Syria, or any country to which the United States embargoes goods and that you are not a person on the Table of Denial Orders, the Entity List, or the List of Specially Designated Nationals.

DISCLAIMER OF WARRANTIES: YOU AGREE THAT URBAN-SOFTWARE.DE HAS MADE NO EXPRESS WARRANTIES TO YOU REGARDING THE SOFTWARE AND THAT THE SOFTWARE IS BEING PROVIDED TO YOU "AS IS" WITHOUT WARRANTY OF ANY KIND. URBAN-SOFTWARE.DE DISCLAIMS ALL WARRANTIES WITH REGARD TO THE SOFTWARE, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, MERCHANTABLE QUALITY, OR NONINFRINGEMENT OF THIRD-PARTY RIGHTS. Some states or jurisdictions do not allow the exclusion of implied warranties, so the above limitations may not apply to you.

LIMIT OF LIABILITY: IN NO EVENT WILL URBAN-SOFTWARE.DE BE LIABLE TO YOU FOR ANY LOSS OF USE, INTERRUPTION OF BUSINESS, OR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY KIND (INCLUDING LOST PROFITS) REGARDLESS OF THE FORM OF ACTION WHETHER IN CONTRACT, TORT (INCLUDING NEGLIGENCE), STRICT PRODUCT LIABILITY OR OTHERWISE, EVEN IF URBAN-SOFTWARE.DE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Some states or jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.



2 Installation

2.1 System Requirements

- Cacti has been installed using the cacti autoinstall script (<http://forums.cacti.net/viewtopic.php?t=38633>)
- DSStats Plugin *only needed for DSStats addon*
- memory_limit = 32M *php.ini - 64M is recommended*
- max_execution_time = 60 *php.ini - 120 is recommended*
- error_log = syslog *php.ini - for troubleshooting purposes*
- allow_url_fopen = on *php.ini - required for nmidSmokeping support*

2.2 Additional Plugins

There are several addons available which provide enhanced functionality to CereusReporting.

2.2.1 mPDF Report Engine

The mPDF Report Engine can be installed additionally to the already included FPDF engine. mPDF provides more features than the FPDF engine, but provided less performance.

2.2.2 DSStats Reports

The DSStats Reports provide some basic Top 10 like reports in addition to the existing RRD Graphics. There are some reports included and others can be added by request.

2.2.3 nmidSmokeping Support

When using the nmidSmokeping plugin, smokeping reports can be added to the PDF Reports using the nmidSmokeping support files.



URBAN SOFTWARE

Dedicated to serve our customers

2.3 Download

Additional Plugins (optional):

- http://blog.network-outsourcing.de/wp-content/uploads/CereusReportingFiles/getSmokePingPath_linux.tgz
- http://blog.network-outsourcing.de/wp-content/uploads/CereusReportingFiles/getSmokePingPath_windows.zip





URBAN SOFTWARE

Dedicated to serve our customers

2.4 Setup for Centos 6 + cacti 0.8.8a

- 1 Please note: You will need a valid v2 license key in order to use the plugin. Please do not install it without a key.

Request a trial license for the Corporate Edition:



[Request a trial for the Corporate Professional/Business Edition](#)

2.4.1 Installation - Centos 6 - 32bit

Main plugin installation:

```
1 cd /var/www/html/cacti/plugins/  
2 wget 'https://www.urban-software.com/?ddownload=2412' -O CereusReporting_Business_v2.90.00.zip  
3 unzip CereusReporting_Business_v2.90.00.zip  
4 rm CereusReporting_Business_v2.90.00.zip  
5 chown -R cacti.apache CereusReporting/  
6 cd /var/www/html/cacti/plugins/CereusReporting/  
7 wget https://www.urban-software.com/wp-content/uploads/parallelGraphRetriever-linux-32bit.zip  
8 unzip parallelGraphRetriever-linux-32bit.zip  
9 chmod +x parallelGraphRetriever  
10 rm parallelGraphRetriever-linux-32bit.zip
```

Installation of additional Reporting Engine with Unicode support:

```
1 cd /var/www/html/cacti/plugins/CereusReporting/ReportEngines  
2 wget 'https://www.urban-software.com/?ddownload=2423' -O mpdf_ReportEngine_54.tgz  
3 tar -xzvf mpdf_ReportEngine_54.tgz  
4 chown -R usercacti.www-data mpdf  
5 chmod 775 mpdf/tmp  
6 rm mpdf_ReportEngine_54.tgz
```

Installation of the IonCube loader:

```
1 cd /tmp  
2 wget http://downloads2.ioncube.com/loader_downloads/ioncube_loaders_lin_x86.tar.gz  
3 tar -xzvf ioncube_loaders_lin_x86.tar.gz  
4 cp ioncube/ioncube_loader_lin_5.3.so /usr/lib/php/modules/  
5 echo "zend_extension=/usr/lib/php/modules/ioncube_loader_lin_5.3.so" > /etc/php.d/ioncube.ini  
6 rm -rf /tmp/ioncube  
7 rm /tmp/ioncube_loaders_lin_x86.tar.gz
```

Installation of the ChartDirector PHP module

```
1 cd /tmp  
2 wget http://download2.advsofteng.com/chartdir_php_linux.tar.gz  
3 tar -xzvf chartdir_php_linux.tar.gz  
4 cd ChartDirector/lib/  
5 cp -R fonts/ /usr/lib/php/modules/  
6 cp phpchartdir530.dll /usr/lib/php/modules/  
7 cp libchartdir.so /usr/lib/php/modules/  
8 echo "extension=phpchartdir530.dll" > /etc/php.d/chartdirector.ini  
9 cd /tmp  
10 rm -rf /tmp/ChartDirector/  
11 rm /tmp/chartdir_php_linux.tar.gz
```



URBAN SOFTWARE

Dedicated to serve our customers

2.4.2 Installation - Centos 6 - 64bit

Main plugin installation:

```
1 cd /var/www/html/cacti/plugins/
2 wget 'https://www.urban-software.com/?ddownload=2412' -O CereusReporting_Business_v2.90.00.zip
3 unzip CereusReporting_Business_v2.90.00.zip
4 rm CereusReporting_Business_v2.90.00.zip
5 chown -R cacti.apache CereusReporting/
6 cd /var/www/cacti/plugins/CereusReporting
7 wget https://www.urban-software.com/wp-content/uploads/parallelGraphRetriever-linux-64bit.zip
8 unzip parallelGraphRetriever-linux-64bit.zip
9 chmod +x parallelGraphRetriever
10 rm parallelGraphRetriever-linux-64bit.zip
```

Installation of additional Reporting Engine with Unicode support:

```
1 cd /var/www/html/cacti/plugins/CereusReporting/ReportEngines
2 wget 'https://www.urban-software.com/?ddownload=2423' -O mpdf_ReportEngine_54.tgz
3 tar -xzvf mpdf_ReportEngine_54.tgz
4 chown -R cacti.apache mpdf
5 chmod 775 mpdf/tmp
6 rm mpdf_ReportEngine_54.tgz
```

Installation of the IonCube loader:

```
1 cd /tmp
2 wget http://downloads2.ioncube.com/loader_downloads/ioncube_loaders_lin_x86-64.tar.gz
3 tar -xzvf ioncube_loaders_lin_x86-64.tar.gz
4 cp ioncube/ioncube_loader_lin_5.3.so /usr/lib64/php/modules
5 echo "zend_extension=/usr/lib64/php/modules/ioncube_loader_lin_5.3.so" > /etc/php.d/ioncube.ini
6 rm -rf /tmp/ioncube
7 rm /tmp/ioncube_loaders_lin_x86-64.tar.gz
```

Installation of the ChartDirector PHP module

```
1 cd /tmp
2 wget http://download2.advsofteng.com/chartdir_php_linux_64.tar.gz
3 tar -xzvf chartdir_php_linux_64.tar.gz
4 cd ChartDirector/lib/
5 cp -R fonts/ /usr/lib64/php/modules
6 cp phpchartdir530.dll /usr/lib64/php/modules
7 cp libchartdir.so /usr/lib64/php/modules
8 echo "extension=phpchartdir530.dll" > /etc/php.d/chartdirector.ini
9 cd /tmp
10 rm -rf /tmp/ChartDirector/
11 rm /tmp/chartdir_php_linux_64.tar.gz
```

2.4.3 Protecting the license file:

InThe license file should be protected for being downloaded by a remote user. This can be done using a .htaccess file, or directly in the httpd.conf file. The following entries need to be placed in there:

```
1 # File: /etc/httpd/conf.d/ioncube.conf
2 #
3 # The following lines prevent IonCube license files from being
4 # downloaded by Web clients.
5 #
6 <Files ~ "\.lic$" >
7     Order allow,deny
8     Deny from all
9 </Files>
```



Reload Apache:

```
1 /etc/init.d/httpd reload
```

2.4.4 Setup the CronJob

It is recommended to use a cronjob instead of the poller based report generation. The following is going to setup a cronjob running once every minute.

As root, run the following command all in one line:

```
1 echo '**/1 * * * * cacti /usr/bin/php /var/www/html/cacti/plugins/CereusReporting/cron_pdf_scheduler.php > /dev/null 2>&1' >> /etc/cron.d/reportScheduler
```

2.5 Setup / Configuration

The following steps will guide you through the setup and configuration procedures for the CereusReporting Corporate and Express Edition.

Step 1: Logon to your cacti web-interface as an administrator

Step 2: Go to the “Plugin Management” page:

Step 3: Click on the “Install” link for the CereusReporting plugin

Step 4: Click on the “Enable” link for the CereusReporting plugin

Step 5: Click on the “Install” link for the settings plugin

Step 6: Click on the “Enable” link for the settings plugin

This will install and enable the CereusReporting Corporate and/or Express Edition for your cacti installation.

Now go to the “User Management” page and select your admin user. You can now set the following options for the CereusReporting plugin. Not all functionality will be available for the Express Edition:



- Plugin -> CereusReporting - Define PDF Reports
- Plugin -> CereusReporting - Generate PDF Reports
- Plugin -> CereusReporting - Manage Availability Data
- Plugin -> CereusReporting - Manage Zenoss Reports
- Plugin -> CereusReporting - View Archived Reports

- Plugin -> CereusReporting - View Availability Charts

Select all options as shown in the screenshot in order to test the installation. After saving these settings, there should be a new menu showing up in the admin console named “NMID” with the following items:

- Manage Reports
- Manage Backups
- Manage Archive
- Manage Report Schedule
- Manage Availability




You should go to the “Debug Info” and check if all modules are installed and all tables and hooks have been registered correctly


2.5.1 Basic Configuration

Now go to:

Console -> Settings -> NMID



In the Availability section, enable the following check boxes:



At the end of that page use the following settings:



NMID - CereusReporting - General - CORPORATE Edition - License Expiry Date : never

Report Title The title of the report. This will only be displayed if the selected tree item is not a header.	<input type="text" value="Generic Report"/>
Report Subtitle The default sub-title of the report. Eg. 'Provided by your Support Team'	<input type="text" value="Provided by IT Support"/>
Report Footer The default footer of the report.	<input type="text"/>
Print Header/Footer to PDF Enables/Disabled the printing of the Header and Footer. Should be disabled when using a CoverPage/Template.	<input checked="" type="checkbox"/> Print Header/Footer to PDF
Report Logo The company logo you want to be displayed on the PDF report. The default logo is images/default_logo.png. Needs to be a PNG file.	<input type="text" value="images/transparent_logo.png"/>
Use 'HOSTNAME(IP)' in host only reports Displays 'Report for host hostname(a.b.c.d)' instead of the default report title	<input checked="" type="checkbox"/> Use 'HOSTNAME(IP)' in host only reports
Graphs link back to cacti A click on a graph in the PDF Report links back to the cacti page for that graph	<input checked="" type="checkbox"/> Graphs link back to cacti
Cacti Host/Server URL The Cacti Host/Server URL to be used in the graph links	<input type="text"/>
Archive Directory Archive directory for storing the PDF Reports.	<input type="text" value="archive"/>
GZip binary path Path to the GZip binary. Archived reports will be gzipped if this is set.	<input type="text"/>
Load JQuery CSS Load the CSS file for JQuery.	<input type="text" value="True"/>
Scheduler being used The poller is fine for small reports, but it is still recommended to use cron or windows scheduling.	<input type="text" value="Cron"/>
Parallel Threads for Graph Retrieval The number of parallel processes for retrieving/generating the graphs for the PDF report.	<input type="text" value="2 Threads"/>
Debugging mode Enable/Disable the debug mode for defined/on-demand reports (Enable: Do not delete tmp files).	<input type="text" value="Disabled"/>
Date Format Date format for reports	<input type="text" value="2012-01-30 20:19"/>
PDF Module to use Choose which PDF Engine you want to use.	<input type="text" value="mPDF"/>

The Installation of the CereusReporting Corporate and Express Edition plugin is now complete.

2.6 Initial Test

Go to the Graphs tab. You should see a new section for your graphs (in Tree View / Dual Pane mode only):

Graph Filters

Presets: From: To: Refresh Clear

Search: Graphs per Page: Thumbnails: Go Clear

<< Previous Showing Graphs 1 to 10 of 67 [1,2,3,4,5,6,7] Next >>

Go to any host and click on the little Icon to the right. You should now be presented with a PDF file containing some graphs.



URBAN SOFTWARE

Dedicated to serve our customers





3 Support

3.1 Email Support



Please use the following email addresses

1 Support: <https://urbansoftware.zendesk.com>

6 Sales Inquiries: requests@urban-software.de

3.2 Community / Forum support

Please use the topic in the Cacti community forum for community support.



<http://forums.cacti.net/viewtopic.php?t=30192>

3.3 FAQ



n/a

3.4 Phone Support

Phone support is available only for valid support contracts.

3.5 Mailing List

Please join the nmid-plugins mailing list for latest news and community support:



n/a

